

# ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE\_7.00\_SYSTEM.03B

After a clean build of the REL7EBF1 baseline which started at 6:00 PM on 05/05/05

Please make one SOL8 tar file with the following packages:

.EcCsSubServer.pkg  
.EcCsMtMGTWY.pkg  
  
.EcDmINTFCSVR.pkg  
  
.EcDpAITWS.pkg  
.EcDpAtODL.pkg  
.EcDpPrPLNMGMTWS.pkg  
.EcDpPrQUESRVR.pkg  
  
.EcOmDatabase.pkg  
.EcOmServer.pkg  
  
.EcPIDatabase.pkg  
.EcPIPLNMGMTWS.pkg  
.EcPIQUESRVR.pkg  
.EcPIODPRM.pkg  
  
.EcNbGUI.pkg

Please make one IRIX65 tar file with the following packages:

.EcDIQaUpdate.pkg  
  
.EcDsSdSrvDb.pkg  
  
.EcDsStArchive.pkg  
.EcDsStDatabase.pkg  
.EcDsStFtpCopy.pkg  
.EcDsStPullMonitor.pkg  
.EcDsStStaging.pkg  
  
.EcInAPCSVR.pkg  
.EcInINTFCSVR.pkg

Please label this tar file TE\_7.00\_System.03B

**This delivers the following NCRs for the first time in TE\_7.00\_System.03B:**

| NCR Number | Subsystem | Sev | State | Site | Description  |
|------------|-----------|-----|-------|------|--|
| ECSed40266 | OPS_OM    | 3   | V     | EDF  | V0Gtwy fails to create orders in OMS db periodically |

## ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE 7.00 SYSTEM.03B

|  |                   |   |   |      |  |
|--|-------------------|---|---|------|--|
| ECsed40401                               | OPS_SSS           | 2 | V | EDF  | Number of Non-Spatial Qualifiers Can Be Wrong                            |
| ECsed40403                               | OPS_Installation  | 3 | T | LaRC | DAAC EcCoModeCleanup script should be included in EcCoMkDeliver          |
| ECsed39037                               | OPS_IDG           | 5 | R | PVC  | Implement SCP Media Type Through MTM Gtwy                                |
| ECsed39341                               | OPS_SEP           | 5 | T | LaRC | Tool Needed to Update PIDataTypeMaster Tbl when Subscription Expires     |
| ECsed40194                               | OPS_OM            | 2 | T | EDF  | OM GUI: Counts for “Staged, Shipped & In DPL” incorrect                  |
| ECsed40225                               | OPS_OM            | 2 | T | GSFC | GSFC/SMC: Rel 7 install problem with OMS ETE db transition script        |
| ECsed40312                               | OPS_OM            | 2 | T | PVC  | 7.00_SYSTEM.01: Requests arriving in OMS from SSS without granules       |
| ECsed40421                               | OPS_STMGT         | 5 | T | GSFC | GSFC/SMC-SORCE polling having problems with connectivity                 |
| ECsed40313                               | OP_OM             | 2 | T | PVC  | 7.00_SYSTEM.01: FtpPush stats updates are failing due to infinity field  |
| ECsed40447                               | RELB_INSTALLATION | 3 | T | PVC  | Correct OMS DB iu file to deliver correct DB objects                     |
| <b>Previously Delivered NCRs in TE's</b> |                   |   |   |      |  |
| ECsed40372                               | OPS_IDG           | 3 | T | EDF  | MTMGW not populating requestPriority field in MSS                        |
| ECsed40162                               | OPS_Dpool         | 3 | T | PVC  | EcDIQaUpdate stops when run against 10,000 granules                      |
| ECsed40167                               | OPS_Dpool         | 3 | T | PVC  | DataPool: lastUpdate not updated by QA Update Utility                    |
| ECsed40320                               | OPS_OM            | 3 | T | GSFC | GSFC/SMC- Rel7_TS2: ECSGuest Orders arrive with NORMAL Priority instead  |
| ECsed40325                               | OPS_OM            | 3 | T | EDF  | OMS GUI displaying the wrong Completion Time for some request granules   |
| ECsed40350                               | OPS_OM            | 2 | V | EDF  | OM sends one no use and wrong email to web users if orders are cancelled |
| ECsed40370                               | OPS_OM            | 1 | T | EDC  | TS2: Release 7: DORRAN and PDS   |

# ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE 7.00 SYSTEM.03B

|            |           |   |   |      |  |
|------------|-----------|---|---|------|--|
|            |           |   |   |      | PDS  |
| ECSed40363 | OPS_DBDM  | 2 | T | PVC  | After ETE completed in two parts some Checksum types bad in SDSRV DB     |
| ECSed40378 | OPS_SSS   | 2 | T | GSFC | GSFC/SMC- Spatial Subscription Server is unable to keep up               |
| ECSed40307 | OPS_STMGT | 2 | T | GSFC | Rel7_TSP: File size of metadata in pull dir does not match with email no |
| ECSed40315 | OPS_DBDM  | 2 | T | PVC  | Improve performance of Staging Disk procs                                |

## DAAC INSTALLATION INSTRUCTIONS:

**THESE INSTRUCTIONS ARE TO USED WHEN INSTALLING ANY MODE. IF YOU HAVE ANY QUESTIONS ABOUT INSTALLING SOMETHING THAT YOU HAVE ALREADY INSTALLED IN A PREVIOUSLY DELIVERED TE, THEN PLEASE CONTACT DERRICK CLARK OR WILLARD SELPH.**

## **PATCH/TE DEPENDENCIES:**

**This must be installed on top of 7.00A. This TE supercedes all of the following TEs:**

**TE\_7.00\_CSS.01** -- MTM is redelivered and must be installed from TE\_7.00\_System.03

**TE\_7.00\_OMS.01.** -- A new Database patch is delivered and the EcOmOrderManager server is replaced

**TE\_7.00\_SDSRV\_DB\_ETE\_CHECKSUM.01A** -- script is just re-delivered - no changes have been made.

**TE\_7.00\_DPL.01** -- the QA Update scripts are re-delivered no new changes are included

**TE\_7.00\_STMGT.01A** -- The Copy Server expect script is replaced in the TE\_7.00\_System.03 and must be installed

**TE\_7.00\_INS\_REQ\_MGR.01** -- No changes were made to EcInReqMgr

**TE\_6A.08\_SecureDist.02** -- The Ingest Expect scripts delivered in TE\_7.00\_System.03 are the same as these.

## **PRE-INSTALLATION:**

1. Using the Setup.ksh files in the <staging\_area>/IRIX65 and <staging\_area>/SOL8 untar the both the sun5.8 and irix65 tar files
2. As root, untar EcsAssist. (A new and improved from the 6A.08 version of the EcCoModeCleanup script is included in this delivery). **NOTE:** Do not delete the previous version of EcsAssist. Simply untar the new version over the old.

## ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE\_7.00\_SYSTEM.03B

3. cd <staging\_area>/SOL8/CUSTOM/dbms

4. chmod -R 775 \*

5. cd <staging\_area>/IRIX65/CUSTOM/dbms/

6. chmod -R 775 \*

At GSFC and LaRC DAACs (LP DAAC if you choose to install):

If you do not wish to bring down the entire system, do the following:

1. Logon to the xxacsnn host and kill the EcOmOrderManager and the EcCsSubServer
2. Logon to the xxinsnn host and kill the V0ToEcsGateway and all instances of the EcCsMtMGateway
3. Logon to the xxacgnn host and xxdrgnn hosts and all the STMGT Servers

At LARC:

4. Logon to the l0sps03.

5. Change directory to: /usr/ecs/<MODE>/CUSTOM/dbms/PLS.

6. Delete the existing patches in this directory using the following command:

```
rm -f *Patch*
```

7. On l0sps03, l0pls02, l0ais01 and l0ais09 bring down all code associated with PDPS.

### INSTALLATION:

Logon to any SUN in the system and bring up E.A.S.I

Install all packages. (Only packages in the tar file and in your .sitemap will be installed). (GSFC may skip installing the SubServer as that change is only for NCR 39431; which is needed by LARC.)

### CONFIGURATION:

No changes for configuration.

### DATABASE UPDATES:

#### A. STMGT Database Update:

If you have not previously installed TE\_7.00\_STMGT.01A then do the following:

## ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE\_7.00\_SYSTEM.03B

Logon to the xxacgnn host and bring up EcsAssist Subsystem Manager  
Update the STMGT database with Patch 7044.

**Patch 7044** fixes the following NCR:

NCR 40315 Fix performance problems for DsStSDAllocateDisk, DsStSDAllocateDisk  
and DsStSDAllocateDisk.

### **B. OMS Database Update:**

Logon to the xxacsnn host and bring up EcsAssist Subsystem Manager  
Update the OMS database to the Patch 7125. If you did not previously install  
TE\_7.00\_OMS.01 then you will be applying database patch 7117 as well.

**Patch 7117** fixes the following NCRs:

NCR 40350 - Correct duplicate email notification  
NCR 40325 - Change counts update to not update RequestGrStatus  
NCR 40320 - Rel7\_TS2:ECSGuest Orders arrive with NORMAL Priority instead LOW  
in Order Manager GUI  
NCR 40370 - TS2: Release 7: DORRAN and PDS

**Patch 7123** fixes the following NCRs:

NCR 40194 - Fix for counts update - OmUpdateOverallStats  
NCR 40312 - Contention enhancement to OmInsertGranule

**Patch 7125** fixes the following NCRs

NCR 40194 – Fix for counts update - OmUpdateOverallStats

### **C. PDPS Database Update (LARC only)**

Logon to the l0sps03 host.

Bring up EcsAssist Subsystem Manager  
Update the PDPS database to Patch 7000.

**Patch 7000** adds a new column subscriptionExpDate to the PIDataTypeMaster table

### **D. End-To-End Checksum Transition Script Updates:**

The SDSRV End-To-End Checksum Transition Scripts (including the new one for GSFC)  
and a new version of the OMS End-To-End Checksum Transition script are delivered in  
this delivery.

## ADDITIONAL SHEET

CCR#04-0254

Rev: —

Originator: Willard Selph

Telephone: 301-925-0368

Office: 3109D

Title of Change: TE\_7.00\_SYSTEM.03B

For modes that have not been transitioned use the instructions in the Release 7 Release Notes to complete the End-To-End Checksum Transition activities. For modes where the ETE Transition has been completed nothing new is required.

To run the new EcOmETEttransition.ksh enter the following:

```
setenv SERVER <xxacgmn_srvr>
```

```
EcOmETEttransition.ksh <MODE>
```

The script will prompt you for the database user name -- enter the dbo name

The script will then prompt you for the dbo password

This script only drops and re-creates the OmGetSdsrvFileInfo and OmValidateGranules stored procedures -- This must be done AFTER the SDSRV End-to-End is completed.

### POST INSTALLATION:

If you did not bring down the entire system, do the following:

1. Logon to the xxacsnn host and start the EcOmOrderManager and the EcCsSubServer
2. Logon to the xxinsnn host and start the V0ToEcsGateway and all instances of the EcCsMtMGateway
3. Logon to the xxacgmn host and xxdrgrnn hosts and start all of the STMGT Servers
4. Logon to the xxdps01 host and bounce the iPlanet instance for the SSS GUI.

If your DAAC have any Data Providers that use secure copy and want to use the passphrase instead of the password then bring do the following:

5. Logon to the xxacsnn host where the EcInGUI is installed.
6. Bring up the Ingest GUI and update the Ftp Password for the specific data provided to the passphrase instead of the password.

**THESE INSTRUCTIONS ARE TO USED WHEN INSTALLING ANY MODE.  
IF YOU HAVE ANY QUESTIONS ABOUT INSTALLING SOMETHING THAT  
YOU HAVE ALREADY INSTALLED IN A PREVIOUSLY DELIVERED TE,  
THEN PLEASE CONTACT DERRICK CLARK OR WILLARD SELPH.**